


**Product Name :**

Separating & Throttling Calorimeter with mini boiler Test Bench

**Product Code :**

SLE/MCE/59



## Description :

### Features:

- It is defined by the ratio of mass of vapour and total mass.
- The total mass is calculated from the sum of fluid mass and vapour mass.
- Separating and throttling calorimeters are used to determine the vapour content.
- Sensors measure the pressure and temperature before and after depressurization.
- The measuring results can be used to determine the vapour content with the h-s diagram.
- A downstream throttling calorimeter is used to determine vapour contents between  $x=0,95$  and  $x=1$ . The wet vapour is depressurized in this process.
- The remaining vapour part is depressurized and then liquefied in a water-cooled condenser and also collected in a measuring cup.
- In practice, devices to determine the vapour content are used in steam power plants, downstream of steam turbines or at steam boilers upstream of the super heater.
- The two quantities can be used to determine vapour mass and total mass to calculate the vapour content.
- If the vapour content is  $x=0$ , the evaporation medium is completely liquid,  $x=1$  means dry saturated vapour, a value in between means wet vapour with a variable liquid content.

### Specification:

- **Temperature:** 240°C
- **Pressure:** 10bar
- **Safety valve:** 10bar
- **Temperature:** 0...400°C
- **Pressure (inlet):** 0...16bar
- **Pressure (outlet):** -150...100mbar
- **Dimensions:** 800x 800 x 1700 mm
- **Weight (approx.):** 110 KG

### Power Supply:

- 230V, 50Hz, 1 phase
- 230V, 60Hz, 1 phase
- 120V, 60Hz, 1 phase

Contact Science Lab for your Educational School Science Lab Equipments. We are best indian biology lab equipments, lab equipment exporters, lab equipments exporter, lab equipments manufacturers, lab instruments manufacturers, laboratory equipment dealer.